	4.
	18
-	SLCAA

RAMP INSPECTION

Reference:	CL: O-AWS025
Revision:	Revision 0

8					Revisio	iii.	Revisi	OH U			
Airline	::		Location:								_
Aircra	ft Type:		Serial No.:	Reg. Marks.:							
Flight	No:		Route:	Date:							
Capta	in:			Lic. No:							
Medic	cal Exp.			- 1							
First C	Officer			Lic. No:							
Medic	cal Exp.										
Purser				Lic. No:							
Maintenance Personnel				Lic No.			E	хр.			
Inspec	tor (s):						•				
	nent Code: S = Sat	isfactory U = Unsatisfactory	NS = Not Seen NA = Not	: Applicable, U = Ans	wer requi	res comn	nent				
S/N	Audit / Inspect					IN	ISPECTO	OR'S OB	SERVA	TION	
	Audit Question			REFERENCE						T	_
		ITEM		REGULATIONS	C	OMPLIA	ANCE VE	RIFIED		REMARKS	
					S	U	NS	N A	U		
1	GENERAL										
1.1	Check Data	Plate		SLCAR Part							_
				7 chpt 9							
1.2	Check for pr	oper Registration Ma	arkings	SLCAR Part							
				7 chpt 4							_
1.3		rthiness Certificate u	p-to-date and	SLCAR Part							
1.4	properly loc		to data and	8A chpt 4.7 SLCAR Part							_
1.4	properly loc	ration Certificate up-	-to-date and	7 chpt 11.1							
1.5		equired certificates u	n-to-date and	SLCAR Part							-
1.5	properly loc			6A							
2		TECHNICAL LOG		SLCAR Part 6A							
2.1	Are all Main	tenance Items cleare	ed?	571							
2.2	Is the Airwo	rthiness Release sign	ed by								
	authorized p	personnel?									
2.3	Are there ar	n adequate number c	of back pages								
	available?										
2.4		d items in accordance	e with approved								
	MEL/CDL?										_
2.5		d items "M" and "O"									_
2.6	Are deferre	d items properly plac	arded?								

3	FLIGHT DECK	SLCAR Part 6A			
3.1	Is the general condition of the area clean?				
3.2	Are all placards in place and legible?				
3.3	Are instruments clear?				
3.4	Rudder pedals not blocked?-				
3.5	All control panels legible?				
3.6	Wire bundles properly tied back?				
3.7	CB's properly marked and legible?				
3.8	Are access doors on the floor clearly marked and				
	easy to open?				
3.9	If for emergency landing gear release, is handle available?				
3.1	If for viewing nose gear lock mechanism is				
0	viewer clean and usable?				
3.1	Is Emergency Equipment in place? (Smoke mask,				
1	O2 Mask, Crash axe)				
3.1	Is PBE in place?				
2					
3.1	Are required manuals in place? (MEL/CDL, AFM,				
3	AOM, MM)				
3.1	Reserved				
4					
1					
4	LAVATORIES	SLCAR Part			
4	LAVATORIES	SLCAR Part 25 chpt 9.7			
4					
4.1	Is there an ashtray on outside of door?	25 chpt 9.7			
4.1	Is there an ashtray on outside of door? Is there a No Smoking sign outside of door?	25 chpt 9.7			
4.1	Is there an ashtray on outside of door? Is there a No Smoking sign outside of door? Is there a No Smoking Sign inside of door?	25 chpt 9.7			
4.1	Is there an ashtray on outside of door? Is there a No Smoking sign outside of door?	25 chpt 9.7			
4.1 4.2 4.3	Is there an ashtray on outside of door? Is there a No Smoking sign outside of door? Is there a No Smoking Sign inside of door?	25 chpt 9.7			
4.1 4.2 4.3 4.4	Is there an ashtray on outside of door? Is there a No Smoking sign outside of door? Is there a No Smoking Sign inside of door? Is there a No Trash placard on toilet seat? Is a Smoke detector installed/checked? Is there an Automatic fire extinguisher over	25 chpt 9.7			
4.1 4.2 4.3 4.4 4.5	Is there an ashtray on outside of door? Is there a No Smoking sign outside of door? Is there a No Smoking Sign inside of door? Is there a No Trash placard on toilet seat? Is a Smoke detector installed/checked? Is there an Automatic fire extinguisher over trash bin with seal in place?	25 chpt 9.7			
4.1 4.2 4.3 4.4 4.5	Is there an ashtray on outside of door? Is there a No Smoking sign outside of door? Is there a No Smoking Sign inside of door? Is there a No Trash placard on toilet seat? Is a Smoke detector installed/checked? Is there an Automatic fire extinguisher over trash bin with seal in place? Are all under counter bins clean and sealed with	25 chpt 9.7			
4.1 4.2 4.3 4.4 4.5 4.6	Is there an ashtray on outside of door? Is there a No Smoking sign outside of door? Is there a No Smoking Sign inside of door? Is there a No Trash placard on toilet seat? Is a Smoke detector installed/checked? Is there an Automatic fire extinguisher over trash bin with seal in place? Are all under counter bins clean and sealed with fire resistant tape?	25 chpt 9.7 & 9.8			
4.1 4.2 4.3 4.4 4.5 4.6	Is there an ashtray on outside of door? Is there a No Smoking sign outside of door? Is there a No Smoking Sign inside of door? Is there a No Trash placard on toilet seat? Is a Smoke detector installed/checked? Is there an Automatic fire extinguisher over trash bin with seal in place? Are all under counter bins clean and sealed with	25 chpt 9.7			
4.1 4.2 4.3 4.4 4.5 4.6	Is there an ashtray on outside of door? Is there a No Smoking sign outside of door? Is there a No Smoking Sign inside of door? Is there a No Trash placard on toilet seat? Is a Smoke detector installed/checked? Is there an Automatic fire extinguisher over trash bin with seal in place? Are all under counter bins clean and sealed with fire resistant tape?	25 chpt 9.7 & 9.8			
4.1 4.2 4.3 4.4 4.5 4.6 4.7	Is there an ashtray on outside of door? Is there a No Smoking sign outside of door? Is there a No Smoking Sign inside of door? Is there a No Trash placard on toilet seat? Is a Smoke detector installed/checked? Is there an Automatic fire extinguisher over trash bin with seal in place? Are all under counter bins clean and sealed with fire resistant tape? GALLEYS	25 chpt 9.7 & 9.8			
4.1 4.2 4.3 4.4 4.5 4.6 4.7	Is there an ashtray on outside of door? Is there a No Smoking sign outside of door? Is there a No Smoking Sign inside of door? Is there a No Trash placard on toilet seat? Is a Smoke detector installed/checked? Is there an Automatic fire extinguisher over trash bin with seal in place? Are all under counter bins clean and sealed with fire resistant tape? GALLEYS On doors with girt bars, Is each Galley Door girt	25 chpt 9.7 & 9.8			
4.1 4.2 4.3 4.4 4.5 4.6 4.7 5	Is there an ashtray on outside of door? Is there a No Smoking sign outside of door? Is there a No Smoking Sign inside of door? Is there a No Trash placard on toilet seat? Is a Smoke detector installed/checked? Is there an Automatic fire extinguisher over trash bin with seal in place? Are all under counter bins clean and sealed with fire resistant tape? GALLEYS On doors with girt bars, Is each Galley Door girt bar area clean and girt bar holder free to move?	25 chpt 9.7 & 9.8			
4.1 4.2 4.3 4.4 4.5 4.6 4.7 5	Is there an ashtray on outside of door? Is there a No Smoking sign outside of door? Is there a No Smoking Sign inside of door? Is there a No Trash placard on toilet seat? Is a Smoke detector installed/checked? Is there an Automatic fire extinguisher over trash bin with seal in place? Are all under counter bins clean and sealed with fire resistant tape? GALLEYS On doors with girt bars, Is each Galley Door girt bar area clean and girt bar holder free to move? Is the Slide Raft condition acceptable? (Proper	25 chpt 9.7 & 9.8			
4.1 4.2 4.3 4.4 4.5 4.6 4.7 5 5.1	Is there an ashtray on outside of door? Is there a No Smoking sign outside of door? Is there a No Smoking Sign inside of door? Is there a No Trash placard on toilet seat? Is a Smoke detector installed/checked? Is there an Automatic fire extinguisher over trash bin with seal in place? Are all under counter bins clean and sealed with fire resistant tape? GALLEYS On doors with girt bars, Is each Galley Door girt bar area clean and girt bar holder free to move? Is the Slide Raft condition acceptable? (Proper Pressure/within overhaul date)	25 chpt 9.7 & 9.8			
4.1 4.2 4.3 4.4 4.5 4.6 4.7 5 5.1	Is there an ashtray on outside of door? Is there a No Smoking sign outside of door? Is there a No Smoking Sign inside of door? Is there a No Trash placard on toilet seat? Is a Smoke detector installed/checked? Is there an Automatic fire extinguisher over trash bin with seal in place? Are all under counter bins clean and sealed with fire resistant tape? GALLEYS On doors with girt bars, Is each Galley Door girt bar area clean and girt bar holder free to move? Is the Slide Raft condition acceptable? (Proper Pressure/within overhaul date) Are the door opening instructions properly	25 chpt 9.7 & 9.8			
4.1 4.2 4.3 4.4 4.5 4.6 4.7 5 5.1 5.2	Is there an ashtray on outside of door? Is there a No Smoking sign outside of door? Is there a No Smoking Sign inside of door? Is there a No Trash placard on toilet seat? Is a Smoke detector installed/checked? Is there an Automatic fire extinguisher over trash bin with seal in place? Are all under counter bins clean and sealed with fire resistant tape? GALLEYS On doors with girt bars, Is each Galley Door girt bar area clean and girt bar holder free to move? Is the Slide Raft condition acceptable? (Proper Pressure/within overhaul date) Are the door opening instructions properly marked?	25 chpt 9.7 & 9.8			
4.1 4.2 4.3 4.4 4.5 4.6 4.7 5 5.1 5.2 5.3	Is there an ashtray on outside of door? Is there a No Smoking sign outside of door? Is there a No Smoking Sign inside of door? Is there a No Trash placard on toilet seat? Is a Smoke detector installed/checked? Is there an Automatic fire extinguisher over trash bin with seal in place? Are all under counter bins clean and sealed with fire resistant tape? GALLEYS On doors with girt bars, Is each Galley Door girt bar area clean and girt bar holder free to move? Is the Slide Raft condition acceptable? (Proper Pressure/within overhaul date) Are the door opening instructions properly marked? Are all storage bins marked for weight limit?	25 chpt 9.7 & 9.8			

5.7	Are floor level storage areas clean and free of				
	food particles and paper trash that can burn?				
6	EMERGENCY EXITS	SLCAR Part 25 chpt 9.2			
6.1	Are emergency exit signs working and properly placed?				
6.2	Is a floor level emergency exit system installed and working?				
6.3	On doors with girt bar Floor level exits are girt bars clean and free to move?				
6.4	Are door operations instructions clearly marked?				
6.5	Is the slide-raft condition acceptable? (proper pressure/within overhaul date)				
6.6	Are over-wing emergency exit seats properly spaced for type exit?				
6.7	Are over-wing emergency exit opening instructions legible?				
6.8	Is the over-wing emergency exit exterior path non-slip and direction indicated?				
6.9	Are passenger signs working and in view of each seated passenger?				
7	PASSENGER SEATS	SLCAR Part 25 chpt 10.1			
7.1	Do the passenger seats have side restraints in place?				
7.2	Do passenger seat break-over proper for area located?				
7.3	Are passenger seats, seat belts properly rated and certified?				
7.4	Is the seat configuration within operatorapproved programme?				
8	CABIN CREW DUTY STATIONS	SLCAR Part 25			
8.1	Does each flight attendant seat have a seat belt and shoulder harness?				
8.2	Is each flight attendant seat spring loaded to the upright position?				
8.3	Is there a flashlight/flashlight holder within reach of each flight attendant seat?				
9	Are portable oxygen bottles installed within test period and location properly marked?				
9.1	Are the proper type and size fire extinguishers installed within test period and their location properly marked?				
9.2	Are first aid kits installed and their location properly marked?				
9.3	Are the landing gear viewer access doors accessible and marked as to location?				
9.4	Are landing gear viewers clear and usable?				

9.5	Is there a crash axe in the cabin?				
9.6	Is PBE in place?				
9.7	Is there a Medical kit on board and sealed?				
9.8	Additional items – refer to attached sheets.				
10	EXTERIOR FUSELAGE	SLCAR Part 8A			
10. 1	Is the radome free of damage, cracking or bubbles?				
10. 2	Are the pitot tubes damage free?				
10. 3	Is the angle of attack sensor damage free?				
10. 4	Are the antennas damage free?				
10. 5	Are the static port areas clear and marked?				
10. 6	Are all panels properly secured, with none missing?				
10. 7	Are wastewater heaters free of damage?				
10. 8	Are Air Conditioning/Ram air inlets clear?				
10. 9	No obvious corrosion, or dents?				
10. 10	Visible repairs? (Note for future records check)				
11	EXTERIOR EMERGENCY LIGHTS	SLCAR Part 25 chpt 9.2(13.2)			
11. 1	Are exterior emergency Exit markings properly painted? (Contrasting color stripping, proper width)				
11. 2	Are Exterior Emergency Exit placards clear and legible?				
11. 3	Are Exterior Lights working? (Landing, taxi, position)				
11. 4	Are the Strobe/Beacon lights working?				
12	WINGS	SLCAR Part 8A			
12. 1	Are leading edges damage free?				
12. 2	Are trailing edges and under surfaces damage free?				
12. 3	Are trailing edge devises drive assemblies greased and covers secure?				
12. 4	Are static discharge devises securely in place?				

12.	No visible signs of leaks?				
5 13	CARGO COMPARTMENTS	SLCAR Part			
		25 chpt 10.5			
13.	Are cargo areas clean and walls/sealing free of				
1	tears and/or dents?				
13. 2	Have all repairs been made with fire resistant tape?				
13.	Is a fire detection system installed?				
3	•				
13. 4	Is a fire suppression system installed?				
13.	Are door nets free and operable?				
5	·				
13. 6	Are door-locking mechanisms free and clean?				
13.	Are safety devices/nets clean and properly				
7	installed?				
14	WHEEL WELLS	SLCAR Part 8A			
14. 1	Is tire wear within limits?				
14. 2	Is brake wear within limits?				
14. 3	Is strut clean & properly inflated?				
14.	Is linkage clean with no obvious defects?				
4					
14.	Are placards installed and legible?				
5					
14. 6	Is the general area clean with no fluid leaks?				
14.	Are grease fittings clean and have they been				
7	recently greased?				
14.	Is the truck area clean no fluid leaks?				
8	Are accumulators properly charged?				
9	Are accumulators properly charged:				
14.	Are safety devices/nets clean and properly				
10	installed?				
15	PYLONS	SLCAR Part 8A			
15. 1	Are pylons free of damage & leaks?				
15. 2	Are all panels in place and secure?				
15. 3	Are squibs properly marked and set?				

16	POWERPLANTS	8A						
16. 1	Are inlets clean, debris free, no blade damage?							
16. 2	Is the inlet free of pools of fluid?							
16. 3	Are all cowl latches secured?							
16. 4	Are reverser's properly stowed?							
16. 5	Is the exhaust outlet clean, debris free, no blade damage?							
16. 6	Is the exhaust outlet free of fluid?							
16. 7	Is the ground under engine free of fluid?							
17	1. Observations And Comments							
	Immediate Action Required							
18								
	Lead Inspector	Signature					Date	
		oignatui c	•	•••••	•••••	•••••	Date.	
	Inspector	Signatu	ıre	••••••	••••••	••••••	••••••	.Date
	Inspector	Signatu	re	•••••	•••••	•••••	••••••	.Date
	Inspector	Signatu	re	••••••	••••••	••••••	••••••	.Date